

**BID # 05-25  
BID PACKAGE FOR:**

\*\*\*\*\*  
**REINFORCED CONCRETE, CORRUGATED  
POLYETHYLENE AND CORRUGATED  
STEEL PIPE CULVERTS**  
\*\*\*\*\*

RETURN DEADLINE IS NOT LATER THAN: February 26, 2026 @4:00  
p.m. \_\_\_\_\_

COMPANY NAME: \_\_\_\_\_

**RETURN SEALED BID TO:**

Upshur County Judge' s Office  
150 E. Jefferson, Suite 301  
P.O. Box 790  
Gilmer, Texas 75644

**FOR INQUIRIES PLEASE CALL:**

Phil Stegall  
County Road Administrator  
Phone: (903) 843-7623

**BIDS RECEIVED LATER THAN THE TIME AND DATE SET FORTH  
ABOVE WILL NOT BE CONSIDERED FOR AWARD BUT INSTEAD  
WILL REMAIN UNOPENED AND WILL BE RETURNED TO VENDORS  
WHEN POSSIBLE!**

**\*\*\*PLEASE DENOTE BID NUMBER ON OUTSIDE OF ENVELOPE.**

## **SPECIFICATIONS AND CONDITIONS FOR REINFORCED CONCRETE, CORRUGATED POLYETHYLENE AND CORRUGATED STEEL PIPE CULVERTS.**

### **GENERAL**

The quantity of pipes listed on bidders= proposal is only approximate quantity of pipe needed for the period from March 16, 2026 thru February 28, 2027 and is not expressed or implied that these will be the amounts purchased by Upshur County. All pipe shall be subject to inspection and test for compliance with specifications.

### **SPECIFICATIONS**

Bidder shall specify and itemize the unit price per linear foot for each size pipe bid.

### **CORRUGATED STEEL**

All pipe to be corrugated steel pipe and meet or exceed current Texas Department of

Transportation specifications for corrugated galvanized metal pipe. Pipe shall be made from zinc coated iron or steel sheets which shall conform to ASTM designation A and/or AASHTO M-218. Strength requirements shall exceed HS20 loading with back fill depth less than five feet from top of pipe.

### **CORRUGATED ( SMOOTH INTERIOR WALL) POLYETHYLENE PIPE**

All pipe are to be corrugated polyethylene pipe and shall conform to the requirements of AASHTO M-294 for the specified diameters for circular non-perforated pipe. All pipe shall be subject to inspections and test for compliance with specifications.

Pipe shall be joined with bell and joint spigot joint meeting AASHTO M294 or AASHTO MP7. The joint shall be silt tight and non-rated watertight. Gaskets shall be made of polyisoprene meeting the requirements of ASTM F477 with the addition that the gaskets shall not have any visible cracking when tested according to ASTM D1149 after 72 hours exposure in 50 PPHM ozone at 104 degrees F. Gaskets shall be installed by the pipe manufacturer and covered with a removable wrap to ensure the gasket is free from debris. A joint lubricant supplied by the manufacturer shall be used on the gasket and bell during assembly.

**REINFORCED CONCRETE PIPE**

All pipe to be reinforced and meet or exceed current Texas Department of Transportation specification for Class III. Reinforced Concrete Pipe Culvert. ASTM C-76. Tongue and Groove Joints. In addition, All reinforced concrete pipe shall meet or exceed the following specifications.

INSIDE DIAMETER OF PIPE, INCHES	MINIMUM WALL THICKNESS, IN.	MINIMUM CONCRETE STRENGTH, PSI	REINFORCEMENT SQ IN/LIN FT
15	2	4,000	0.12
18	2 1/4	4,000	0.11
24	3	4,000	0.12
30	3 2	4,000	0.15
36	4	4,000	0.21
42	4 2	4,000	0.24
48	5	4,000	0.27

**CONTRACT AWARD:** TOTAL BASE BID shall be used to determine the lower bidder.

Upshur County reserves the right to award separate contracts on each of the base bids, to reject any or all bids, to award contracts to primary and secondary vendors, to reject materials not meeting specifications, and to increase or decrease the quantities.

**ESCALATION AND DE-ESCALATION POLICY**

It is agreed the unit price is based, in part, on prices charged or quoted at the time of this bid by a product supplier to the vendor. The unit price bid may be increased or decreased when a product supplier increases or decreases their price to the vendor; however the increase or decrease in the unit price shall be limited to the amount of the increase or decrease in price a product supplier charges the vendor. Any change in the unit price bid shall be accompanied by supporting documents from the vendors product supplier. The vendor shall provide notice to the County Road Administrator at least two (2) days in advance of any increase in the unit price bid. The two (2) day period shall begin upon receipt of the notice by the County Road Administrator. Upshur County reserves the right to cease purchase of product, purchase from a secondary bidder, re-bid or continue purchasing from the primary vendor if the unit price bid increases.

**SPECIFICATIONS APPROVED**

---

Phil Stegall  
UPSHUR COUNTY  
ROAD ADMINISTRATOR

DATE

**BID SHEET FOR CONCRETE, POLYETHYLENE AND STEEL PIPE CULVERTS:**

Reinforced concrete, polyethylene and steel culvert pipe supply for the Upshur County Road Department for the period from March 16, 2026 through February 28, 2027.

F O B Delivered to job-site anywhere in Upshur County.

**BASE BID ~~AA~~ CORRUGATED STEEL PIPE**

<u>QTY</u>	<u>DESCRIPTION OF ITEMS</u>	<u>UNIT OF MEASURE</u>	<u>PRICE PER UNIT</u>	<u>TOTAL BY ITEMS</u>
60	48 IN CORR STEEL PIPE	LF	\$ _____	\$ _____
60	54 IN CORR STEEL PIPE	LF	\$ _____	\$ _____
60	60 IN CORR STEEL PIPE	LF	\$ _____	\$ _____
60	66 IN CORR STEEL PIPE	LF	\$ _____	\$ _____
80	72 IN CORR STEEL PIPE	LF	\$ _____	\$ _____
80	78 IN CORR STEEL PIPE	LF	\$ _____	\$ _____
80	84 IN CORR STEEL PIPE	LF	\$ _____	\$ _____
40	90 IN CORR STEEL PIPE	LF	\$ _____	\$ _____
40	96 IN CORR STEEL PIPE	LF	\$ _____	\$ _____
40	108 IN CORR STEEL PIPE	LF	\$ _____	\$ _____
40	120 IN CORR STEEL PIPE	LF	\$ _____	\$ _____

**TOTAL BASE BID ~~AA~~ \$ \_\_\_\_\_**

**PERCENT INCREASE FOR:**

ASPHALT COATING \_\_\_\_\_  
POLYMER COATING \_\_\_\_\_  
ALUMINIZED STEEL COATING TYPE 2 \_\_\_\_\_

**NOTE:**

UNIT COST FOR STANDARD GALVANIZED STEEL BANDS- UPSHUR COUNTY WILL PAY TWO (2) TIMES THE PRICE UNIT FOR EACH BAND FROM 48" THROUGH 120".

**F O B UPSHUR COUNTY****BASE BID ~~AB~~ CORRUGATED (SMOOTH INTERIOR WALL) POLYETHYLENE PIPE****QUANTITY**

<u>LINEAR FT</u>	<u>DESCRIPTION OF ITEMS</u>	<u>PRICE PER FT</u>	<u>TOTAL PRICE</u>
300	15 IN POLYETHYLENE PIPE	\$ _____	\$ _____
500	18 IN POLYETHYLENE PIPE	\$ _____	\$ _____
200	24 IN POLYETHYLENE PIPE	\$ _____	\$ _____
100	36 IN POLYETHYLENE PIPE	\$ _____	\$ _____
60	42 IN POLYETHYLENE PIPE	\$ _____	\$ _____
60	48 IN POLYETHYLENE PIPE	\$ _____	\$ _____
40	54 IN POLYETHYLENE PIPE	\$ _____	\$ _____

**TOTAL BASE BID ~~AB~~ \$ \_\_\_\_\_**

**EXTRA COUPLINGS**

<u>UNIT</u>	<u>DESCRIPTION OF ITEMS</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
1	15 IN POLYETHYLENE COUPLING	\$ _____	\$ _____
1	18 IN POLYETHYLENE COUPLING	\$ _____	\$ _____
1	24 IN POLYETHYLENE COUPLING	\$ _____	\$ _____
1	30 IN POLYETHYLENE COUPLING	\$ _____	\$ _____
1	36 IN POLYETHYLENE COUPLING	\$ _____	\$ _____
1	42 IN POLYETHYLENE COUPLING	\$ _____	\$ _____
1	48 IN POLYETHYLENE COUPLING	\$ _____	\$ _____
1	54 IN POLYETHYLENE COUPLING	\$ _____	\$ _____

**BASE BID aC@ REINFORCED CONCRETE PIPE F O B UPSHUR COUNTY**

<u>QTY</u>	<u>DESCRIPTION OF ITEMS</u>	<u>PRICE PER LIN FT</u>	<u>TOTAL PRICE</u>
40	15 IN REINFORCED CONCRETE PIPE	\$ _____	\$ _____
40	18 IN REINFORCED CONCRETE PIPE	\$ _____	\$ _____
40	24 IN REINFORCED CONCRETE PIPE	\$ _____	\$ _____
20	30 IN REINFORCED CONCRETE PIPE \$ _____	\$ _____	
20	36 IN REINFORCED CONCRETE PIPE \$ _____	\$ _____	
20	42 IN REINFORCED CONCRETE PIPE \$ _____	\$ _____	
20	48 IN REINFORCED CONCRETE PIPE \$ _____	\$ _____	

**TOTAL BASE BID aC@ \$ \_\_\_\_\_**



